

Interchangeability Chart

AC Voltage Control Devices

Popular
Variable Transformers
and AC Power Supplies



STACO
ENERGY
PRODUCTS CO.



Staco Energy Products Co. has been a leading manufacturer of variable transformers for over 65 years, building standard and custom-designed products for industrial, commercial and military applications.

Staco Energy Products' complete line of variable transformers and AC voltage controls are available from a nationwide network of distributors. Local Staco Energy distributors have factory trained personnel capable of assisting you in selecting the transformer best suited

for your application. Contact our Customer Service department or visit the Where to Buy section of our web site for the name of a distributor near you.

If our standard products do not meet your specific requirements, contact us at the factory. Our engineering staff is available to meet your special application requirements. Often, it simply requires minor revisions



Some models are listed by the Canadian Standards Association File No. LR18948

Staco Energy Products Co.		Superior Electric		Technipower		Ohmite Manufacturing		Weschler Instrument	
Variable Transformer	Amp	Powerstat	Amp	Variac	Amp	V.T.	Amp	Volt-Pac	Amp
171	1.75	10C	2.25			VT1	1.3		
171-2	1.75	10C-2	2.25			VT1-2	1.3		
171-3	1.75	10C-3	2.25			VT1-3	1.3		
201	2.0			U2	2.0	VT02	2.0		
201-2	2.0					VT02-2	2.0		
201-3	2.0					VT02-3	2.0		
221-B	2.5	10C	2.25*	U2	2.25*				
221-B-2	2.5	10C-2	2.25*						
221-B-3	2.5	10C-3	2.25*						
3PN221B	2.5								
221-B	2.5			W2	2.4‡			9T92A1	2.5
221-B-2	2.5			W2G2	2.4‡				
221-B-3	2.5			W2G3	2.4‡			9T92A3	2.5
3PN221B	2.5								
252	0.8	12	0.7						
252-2	0.8	12-2	0.7						
252-3	0.8	12-3	0.7						
291	3.0					VT3	3.0		
291-2	3.0					VT3-2	3.0		
291-3	3.0					VT3-3	3.0		
501C	5.0			W2	2.4	VT4	3.5		
501C-2	5.0			W2G2	2.4	VT4-2	3.5		
501C-3	5.0			W2G3	2.4	VT4-3	3.5		
3PN501B	5.0					VT4F, VT4FC	3.5		
501C	5.0	21	5.0	W5	6.0	VT5	4.75	9T92A5	4.5
501C-2	5.0	21-2	5.0	W5G2	6.0	VT5-2	4.75		
501C-3	5.0	21-3	5.0	W5G3	6.0	VT5-3	4.75	9T92A6	4.5
3PN501B	5.0			W5MT3	6.0	VT5F, VT5FC	4.75	9T92A86	6.5
1010B	10.0	116CU	10.0	W10	10.0	VT10	10.0‡	9T92A9	10.0
1010B-2	10.0	116CU2	10.0	W10G2	10.0	VT10-2	10.0‡		
1010B-3	10.0	116CU-3	10.0	W10G3	10.0	VT10-3	10.0‡	9T92A21‡	10.0
1010BCT	10.0	116CT	10.0	W10M	10.0			9T92A9G2	10.0
1010BCT-2	10.0	116CT-2	10.0	W10G2M	10.0				
1010BCT-3	10.0	116CT-3	10.0	W10G3M	10.0			9T92A21G2	10.0
3PN1010B	10.0	3PN116C	10.0	W10MT3	10.0	VT8F, VT8FC	7.5	9T92A87	10.0

See notes at end of charts on page 6.



Your tailored power solutions provider

Staco Energy Products Co.		Superior Electric		Technipower		Ohmite Manufacturing		Weschler Instrument	
Variable Transformer	Amp	Powerstat	Amp	Variac	Amp	V.T.	Amp	Volt-Pac	Amp
1020B	3.5	216CU	3.5	W10H	4.0	VT10H	4.0‡	9T92A13	4.0
1020B-2	3.5	216CU-2	3.5	W10HG2	4.0	VT10H-2	4.0‡	9T92A17	4.0
1020B-3	3.5	216CU-3	3.5	W10HG3	4.0	VT10H-3	4.0‡	9T92A25	4.0
1020BCT	3.5	216CT	3.5	W10HM	4.0			9T92A13G2	4.0
1020BCT-2	3.5	216CT-2	3.5	W10HG2M	4.0			9T92A17G2	4.0
1020BCT-3	3.5	216CT-3	3.5	W10HG3M	4.0			9T92A25G2	4.0
3PN1020B	3.5	3PN216C	3.5	W10HMT3	4.0			9T92A95	4.0
1210B	12.0	117CU	12.0			VT10	10.0	9T92A10	12.0
1210B-2	12.0	117CU-2	12.0			VT10-2	10.0	9T92A23	12.0
1210B-3	12.0	117CU-3	12.0					9T92A22	12.0
1210BCT	12.0	117CT	12.0					9T92A10G2	12.0
1210BCT-2	12.0	117CT-2	12.0					9T92A23G2	12.0
1210BCT-3	12.0	117CT-3	12.0					9T92A22G2	12.0
3PN1210B	12.0	3PN117C	12.0			VT10F, VT10FC	10.0		
1220B	5.0	217CU	5.0			VT10H	4.0	9T92A14	5.0
1220B-2	5.0	217CU-2	5.0			VT10H-2	4.0	9T92A18	5.0
1220B-3	5.0	217CU-3	5.0					9T92A26	5.0
1220BCT	5.0	217CT	5.0					9T92A14G2	5.0
1220BCT-2	5.0	217CT-2	5.0					9T92A18G2	5.0
1220BCT-3	5.0	217CT-3	5.0					9T92A26G2	5.0
3PN1220B	5.0	3PN217C	5.0						
1510	15.0	126U	15.0					9T92A27	15.0
1510C	15.0	126	15.0					9T92A27G2	15.0
1510CT	15.0	126T	15.0					9T92A27G2	15.0
1510-2	15.0	126U-2	15.0						
1510C-2	15.0	126-2	15.0						
1510CT-2	15.0	126T-2	15.0						
1510-3	15.0	126U-3	15.0					9T92A33	15.0
1510C-3	15.0	126-3	15.0					9T92A33G2	15.0
1510CT-3	15.0	126T-3	15.0					9T92A33G2	15.0
3PN1510B	15.0	3PN126	15.0					9T92A88	15.0
1520	9.5	226U	7.5	W20H	8.0			9T92A30	8.5
1520C	9.5	226	7.5					9T92A30G2	8.5
1520CT	9.5	226T	7.5	W20HM	8.0			9T92A30G2	8.5
1520-2	9.5	226U-2	7.5	W20HG2	8.0				
1520C-2	9.5	226-2	7.5						
1520CT-2	9.5	226T-2	7.5	W20HG2M	8.0				
1520-3	9.5	226U-3	7.5	W20HG3	8.0			9T92A36	8.5
1520C-3	9.5	226-3	7.5					9T92A36G2	8.5
1520CT-3	9.5	226T-3	7.5	W20HG3M	8.0			9T92A36G2	8.5
3PN1520B	9.5	3PN226	7.5	W20HMT3	8.0			9T92A97	8.5
2510	25.0	136BU	22.0	W20	20.0	VT25	25.0‡	9T92A28	18.0
2510C	25.0	136B	22.0			VT25B	25.0‡	9T92A28G2	18.0
2510CT	25.0	136BT	22.0	W20M	20.0	VT25E	25.0‡	9T92A28G2	18.0
2510-2	25.0	136BU-2	22.0	W20G2	20.0	VT25-2	25.0‡		
2510C-2	25.0	136B-2	22.0			VT25-2B	25.0‡		
2510CT-2	25.0	136BT-2	22.0	W20G2M	20.0				
2510-3	25.0	136BU-3	22.0	W20G3	20.0	VT25-3	25.0‡	9T92A34	18.0
2510C-3	25.0	136B-3	22.0			VT25-3B	25.0‡	9T92A34G2	18.0
2510CT-3	25.0	136BT-3	22.0	W20G3M	20.0			9T92A34G2	18.0
3PN2210B	22.0	3PN136B	22.0	W20MT3	20.0	VT25FC	25.0‡		
2520	10.0	236BU	10.0	W20H	8.0	VT25H	11.0‡	9T92A30	8.5
2520C	10.0	236B	10.0			VT25HB	11.0‡	9T92A30G2	8.5
2520CT	10.0	236BT	10.0	W20HM	8.0	VT25HE	11.0‡	9T92A30G2	8.5
2520-2	10.0	236BU-2	10.0	W20HG2	8.0	VT25H-2	11.0‡	9T92A32	8.5
2520C-2	10.0	236B-2	10.0					9T92A32G2	8.5
2520CT-2	10.0	236BT-2	10.0	W20HG2M	8.0			9T92A32G2	8.5

See notes at end of charts on page 6.

Staco Energy Products Co.		Superior Electric		Technipower		Ohmite Manufacturing		Weschler Instrument	
Variable Transformer	Amp	Powerstat	Amp	Variac	Amp	V.T.	Amp	Volt-Pac	Amp
2520-3	10.0	236BU-3	10.0	W20HG3	8.0	VT25H-3	11.0‡	9T92A36	8.5
2520C-3	10.0	236B-3	10.0					9T9A36G2	8.5
2520CT-3	10.0	236BT-3	10.0	W20HG3M	8.0			9T9A36G2	8.5
3PN2520B	10.0	3PN236B	10.0	W20HMT3	8.0	VT25HFC	11.0‡		
5011	50.0	1156DU	50.0	W50	50.0			9T92A49	50.0
5011C	50.0	1156D	50.0			9T92A49G2	50.0		
5011CT	50.0	1156-DT	50.0	W50M	40.0	9T92A49G2	50.0		
5011-2D	50.0	1156DU-2D	50.0						
5011C-2D	50.0	1156D-2D	50.0						
5011CT-2D	50.0	1156DT-2D	50.0						
5011-2S	50.0	1156DU-2S	50.0						
5011C-2S	50.0	1156D-2S	50.0						
5011CT-2S	50.0	1156DT-2S	50.0						
5011-2P	100.0	1156DU-2P	100.0	W50G2	100.0 •			9T92A53	100.0
5011C-2P	100.0	1156D-2P	100.0					9T92A53G2	100.0
5011CT-2P	100.0			W50G2M	80.0 •			9T92A53G2	100.0
5011-3P	150.0	1156DU-3P	150.0	W50G3	150.0 •			9T92A55	150.0
5011E-3P	150.0	1156D-3P	150.0					9T92A55G2	150.0
5011E-3P	150.0			W50G3M	120.0 •			9T92A55G2	150.0
5011-3Y	50.0	1156DU-3Y	50.0	W50G3	50.0			9T92A74	50.0
5011E-3Y	50.0	1156D-3Y	50.0					9T92A74G2	50.0
5011E-3Y	50.0	1156DT-3Y	50.0	W50G3M	40.0			9T92A74G2	50.0
5011-4D	100.0	1156DU-4D	100.0						
5011E-4D	100.0								
5011-4PS	100.0	1156DU-4PS	100.0						
5011E-4PS	100.0	1156DU-4PS (E)	100.0						
5011-4P	200.0	1156DU-4P	200.0	W50G4BB	200.0 •			9T92A56	200.0
5011E-4P	200.0	1156DU-4P (E)	200.0	W50G4BBM	160.0 •			9T92A56G2	200.0
5011-5P	250.0	1156DU-5P	250.0					9T92A57	250.0
5011E-5P	250.0	1156DU-5P (E)	250.0					9T92A57G2	250.0
5011E-5P	250.0							9T92A57G2	250.0
5011-6D	150.0	1156DU-6D	150.0						
5011E-6D	150.0	1156DU-6D (E)	150.0						
5011-6PS	150.0	1156DU-6PS	150.0						
5011E-6PS	150.0	1156DU-6PS (E)	150.0						
5011-6P	300.0	1156DU-6P	300.0	W50G6BB	300.0 •			9T92A58	300.0
5011E-6P	300.0	1156DU-6P (E)	300.0					9T92A58G2	300.0
5011E-6P	300.0			W50G6BBM	240.0 •			9T92A58G2	300.0
5011-6Y	100.0	1156DU-6Y	100.0	W50G6BB	100.0 •			9T92A78	100.0
5011E-6Y	100.0	1156DU-6Y (E)	100.0	W50G6BBM	80.0			9T92A78G2	100.0
5011-7P	350.0	1156DU-7P	350.0						
5011E-7P	350.0	1156DU-7P (E)	350.0						
5011-8D	200.0	1156DU-8D	200.0						
5011E-8D	200.0	1156DU-8D (E)	200.0						
5011-8PS	200.0	1156DU-8PS	200.0						
5011E-8PS	200.0	1156DU-8PS (E)	200.0						
5011-8P	400.0	1156DU-8P	400.0						
5011E-8P	400.0	1156DU-8P (E)	400.0						
5011-9P	450.0	1156DU-9P	450.0						
5011E-9P	450.0	1156DU-9P (E)	450.0						
5011-9Y	150.0	1156DU-9Y	150.0						
5011E-9Y	150.0	1156DU-9Y (E)	150.0						

See notes at end of charts on page 6.



Your tailored power solutions provider

Staco Energy Products Co.		Superior Electric		Technipower		Ohmite Manufacturing		Weschler Instrument	
Variable Transformer	Amp	Powerstat	Amp	Variac	Amp	V.T.	Amp	Volt-Pac	Amp
5021	28.0	1256DU	28.0	W50H	25.0			9T92B51	30.0
5021C	28.0	1256D	28.0					9T92B51G2	30.0
5021CT	28.0	1256DT	28.0	W50HM	20.0			9T92B51G2	30.0
5021-2D	28.0	1256DU-2D	28.0	W50HG2	25.0				
5021C-2D	28.0	1256D-2D	28.0						
5021CT-2D	28.0	1256DT-2D	28.0	W50HG2M	20.0				
5021-2S	28.0	1256DU-2S	28.0						
5021C-2S	28.0	1256D-2S	28.0						
5021CT-2S	28.0	1256DT-2D	28.0						
5021-2P	56.0	1256DU-2P	56.0	W50HG2	50.0 •				
5021C-2P	56.0	1256D-2P	56.0						
5021CT-2P	56.0			W50HG2M	40.0 •				
5021-3P	84.0	1256DU-3P	84.0	W50HG3	75.0 •				
5021E-3P	84.0	1256D-3P	84.0	W50HG3M	60.0 •				
5021-3Y	28.0	1256DU-3Y	28.0	W50HG3	25.0			9T92A76	30.0
5021E-3Y	28.0	1256D-3Y	28.0					9T92A76G2	30.0
5021E-3Y	28.0	1256DT-3Y	28.0	W50HG3M	20.0			9T92A76G2	30.0
5021-4D	56.0	1256DU-4D	56.0	W50HG4BB	50.0				
5021E-4D	56.0	1256DU-4D (E)	56.0	W50HG4BBM	40.0				
5021-4PS	56.0	1256DU-4PS	56.0						
5021E-4PS	56.0	1256DU-4PS (E)	56.0						
5021-4P	112.0	1256DU-4P	112.0	W50HG4BB	100.0 •				
5021E-4P	112.0	1256DU-4P (E)	112.0	W50HG4BBM	80.0 •				
5021-5P	140.0	1256DU-5P	140.0						
5021E-5P	140.0	1256D-5P (E)	140.0						
5021-6D	84.0	1256DU-6D	84.0						
5021E-6D	84.0	1256DU-6D (E)	84.0						
5021-6PS	84.0	1256DU-6PS	84.0						
5021E-6PS	84.0	1256DU-6PS (E)	84.0						
5021-6P	168.0	1256DU-6P	168.0	W50HG6BB	150.0 •				
5021E-6P	168.0	1256DU-6P (E)	168.0	W50HG6BBM	120.0 •				
5021-6Y	56.0	1256DU-6Y	56.0					9T92A80	60.0
5021E-6Y	56.0	1256DU-6Y (E)	56.0					9T92A80G2	60.0
5021-7P	196.0	1256DU-7P	196.0						
5021E-7P	196.0	1256DU-7P (E)	196.0						
5021-8D	112.0	1256DU-8D	112.0						
5021E-8D	112.0	1256DU-8D (E)	112.0						
5021-8PS	112.0	1256DU-8PS	112.0						
5021E-8PS	112.0	1256DU-8PS (E)	112.0						
5021-8P	224.0	1256DU-8P	224.0						
5021E-8P	224.0	1256DU-8P (E)	224.0						
5021-9P	252.0	1256DU-9P	252.0						
5021E-9P	252.0	1256DU-9P (E)	252.0						
5021-9Y	84.0	1256DU-9Y	84.0						
5021E-9Y	84.0	1256DU-9Y (E)	84.0						
3PN1010BV	10.0								
3PN1020BV	3.5								
3PN1510BV	15.0								
3PN1520BV	9.5								
L221	1.75	L10C	1.75						
L501	4.5	L21C	4.5						
L1010	10.0	L116C	10.0						
L1010VA	10.0	L2M116C	10.0						

See notes at end of charts on page 6.

Staco Energy Products Co.		Weschler Instrument	
Variable Transformer	Amp	Volt-Pac	Amp
6011	60.0	9T92A50	60.0
6011C	60.0	9T92A50G2	60.0
6011CT	60.0	9T92A50G2	60.0
6011-2D	60.0		
6011C-2D	60.0		
6011CT-2D			
6011-2S	60.0		
6011C-2S	60.0		
6011CT-2S	60.0		
6011-2P	120.0	9T92A54	120.0
6011C-2P	120.0	9T92A54G2	120.0
6011CT-2P	120.0	9T92A54G2	120.0
6011-3P	180.0		
6011E-3P	180.0		
6011-3Y	60.0	9T92A75	60.0
6011E-3Y	60.0	9T92A75G2	60.0
6011-4D	120.0		
6011E-4D	120.0		
6011-4PS	120.0	9T92A63	120.0
6011E-4PS	120.0	9T92A63G2	120.0
6011-4P	240.0		
6011E-4P	240.0		
6011-5P	300.0		
6011E-5P	300.0		
6011-6D	180.0		
6011E-6D	180.0		
6011-6PS	180.0	9T92A65	180.0
6011E-6PS	180.0	9T92A65G2	180.0
6011-6P	360.0	9T92A59	360.0
6011E-6P	360.0	9T92A59G2	360.0
6011-6Y	120.0	9T92A79	120.0
6011E-6Y	120.0	9T92A79G2	120.0
6011-7P	420.0		
6011E-7P	420.0		
6011-8D	240.0		
6011E-8D	240.0		
6011-8PS	240.0		
6011E-8PS	240.0		
6011-8P	480.0		
6011E-8P	480.0		
6011-9P	540.0		
6011E-9P	540.0		
6011-9Y	180.0		
6011E-9Y	180.0		

Staco Energy Products Co.		Superior Electric		Weschler Instrument	
Variable Transformer	Amp	Powerstat	Amp	Volt-Pac	Amp
6020	35.0	1296DU	35.0	9T92A52	35.0
6020C	35.0	1296D	35.0	9T92A52G2	35.0
6020CT	35.0	1296DT	35.0	9T92A52G2	35.0
6020-2D	35.0	1296DU-2D	35.0	9T92A67	30.0
6020C-2D	35.0	1296D-2D	35.0	9T92A67G2	30.0
6020CT-2D	35.0	1296DT-2D	35.0	9T92A67G2	30.0
6020-2S	35.0	1296DU-2S	35.0	9T92A68	35.0
6020C-2S	35.0	1296D-2S	35.0	9T92A68G2	35.0
6020CT-2S	35.0	1296DT-2S	35.0	9T92A68G2	35.0
6020-2P	70.0	1296DU-2P	70.0	9T92A60	60.0
6020C-2P	70.0	1296D-2P	70.0	9T92A60G2	60.0
6020CT-2P	70.0	1296DT-2P	70.0	9T92A60G2	60.0
6020-3P	105.0	1296DU-3P	105.0	9T92A62	90.0
6020E-3P	105.0	1296D-3P	105.0	9T92A62G2	90.0
6020E-3P	105.0	1296DT-3P	105.0	9T92A62G2	90.0
6020-3Y	35.0	1296DU-3Y	35.0	9T92A77	35.0
6020E-3Y	35.0	1296D-3Y	35.0	9T92A77G2	35.0
6020E-3Y	35.0	1296DT-3Y	35.0	9T92A77G2	35.0
6020-4D	70.0	1296DU-4D	70.0	9T92A69	60.0
6020E-4D	70.0	1296DU-4D (E)	70.0	9T92A69G2	60.0
6020-4PS	70.0	1296DU-4PS	70.0	9T92A70	70.0
6020E-4PS	70.0	1296DU-4PS (E)	70.0	9T92A70G2	70.0
6020-4P	140.0	1296DU-4P	140.0		
6020E-4P	140.0	1296DU-4P (E)	140.0		
6020-5P	175.0	1296DU-5P	175.0	9T92A64	150.0
6020E-5P	175.0	1296DU-5P (E)	175.0	9T92A64G2	150.0
6020-6D	105.0	1296DU-6D	105.0	9T92A71	90.0
6020E-6D	105.0	1296DU-6D (E)	105.0	9T92A71G2	90.0
6020-6PS	105.0	1296DU-6PS	105.0	9T92A72	105.0
6020E-6PS	105.0	1296DU-6PS (E)	105.0	9T92A72G2	105.0
6020-6P	210.0	1296DU-6P	210.0	9T92A66	210.0
6020E-6P	210.0	1296DU-6P (E)	210.0	9T92A66G2	210.0
6020-6Y	70.0	1296DU-6Y	70.0	9T92A81	70.0
6020E-6Y	70.0	1296DU-6Y (E)	70.0	9T92A81G2	70.0
6020-7P	245.0	1296DU-7P	245.0		
6020E-7P	245.0	1296DU-7P (E)	245.0		
6020-8D	140.0	1296DU-8D	140.0		
6020E-8D	140.0	1296DU-8D (E)	140.0		
6020-8PS	140.0	1296DU-8PS	140.0		
6020E-8PS	140.0	1296DU-8PS (E)	140.0		
6020-8P	280.0	1296DU-8P	280.0		
6020E-8P	280.0	1296DU-8P (E)	280.0		
6020-9P	315.0	1296DU-9P	315.0		
6020E-9P	315.0	1296DU-9P (E)	315.0		
6020-9Y	105.0	1296DU-9Y	105.0		
6020E-9Y	105.0	1296DU-9Y (E)	105.0		

Notes: The transformers listed are competitive by electrical specifications only. Many items are mechanically identical or nearly identical. Numbers 221 through 2520 are also mechanically interchangeable with the Powerstat 10C through 246 series.

Staco variable transformers are available in 2 through 9-gang assemblies, manually operated or motor driven. Also, 10, 12, 14, 15, 16, 18, 21, 24 and 27 gang assemblies are available as motor driven units only.

* Current ratings apply to metal panel mount only. Other applications will have lower ratings

‡ Differs in overvoltage ability. Check specifications.

• Chokes must be ordered separately to meet desired specifications.

E Superior Electric's enclosure.



Your tailored power solutions provider

Product Line Overview

Voltage Control Systems

With design and manufacturing lead times that are the lowest in the custom power industry, we can begin to solve your problems today, and deliver a complete solution in just weeks. Standard components include sophisticated local and remote monitoring and control, circuit protection and distribution, and custom enclosures.

Variable Transformers

Our broad line of over 1,400 part numbers ranges from simple cord and plug models for bench testing, to complex single and three phase ganged units.

Voltage Regulators

Our complete line of Staco voltage regulators can be customized to meet your special application needs. With standard options such as our MP Controller, your Staco voltage regulator can be easily monitored and adjusted.

Uninterruptible Power Supplies

Our comprehensive line of UPS equipment will meet the most demanding power needs. Incorporating advanced technology, our UPS systems can be used for almost any critical environment.

Power Conditioners

Choose from product families that are built with mature, rock-solid technology, or one of the most advanced power conditioning systems on the market today. Our modular approach means that we can provide precisely what you need.



It's about solving the problems in YOUR facility, not just offering generic products for a generic solution, that places Staco Energy Products Co. in the forefront of the power industry.

About Staco Energy Products Company

Since 1937, customers worldwide have been relying on Staco Energy Products Company to deliver voltage control and power quality solutions tailored to their needs.

As a leading power quality resource, we offer our customers world-class support; from our thorough applications assessment, to our ability to design and deliver a solution that is tailored to the specific needs of our customers; through delivery and commissioning.

Our professional, factory trained service team is in place to ensure that our customers' revenues are protected, and their investment provides them with many years of trouble free operation.

Staco develops total power solutions for OEM and end user applications.

In addition to Variable Transformers we offer a wide array of power quality products, including:

- **Uninterruptible Power Supplies**
- **Power Conditioners**
- **Voltage Regulators**
- **Power Factor Correction and Harmonic Mitigation**
- **Active Harmonic Filters**
- **Custom Engineered Test Sets**



Represented Locally by:

**STACO
ENERGY[®]
PRODUCTS CO.**

Your tailored power solutions provider

Contact Us:

US Toll Free: 866-261-1191

Phone: 937-253-1191

E-mail: sales@StacoEnergy.com

www.stacoenergy.com

